



**SHENZHEN OUNI TECHNOLOGY CO.,LTD**  
 Add: 9th Floor, Block C, Building 8, Hengda Fashion Plaza Building/Kenglang Community, Dalang Sub-District, Longhua District, Shenzhen, China  
 ATTN:Lucas Email: Lucas@ouni-kuma.com Mobile/Wechat/WhatsApp: +86-1514406636

MODEL NO.	Color	IMAGE	Specifications	1000PCS+		Packing Details	PCW/CTN	CTN DIM (C*W*H)	G.W. (KG)
				RMB	USD				
 X80 USB2.0	Black		<p>Speaker Diameter: 50mm            Impedance: 32Ω            Sensitivity: 115dB±1dB            Frequency: 20-20000Hz            Mic sensitivity: -42±1dB            Directivity: Omni-directional            Microphone size: 6.0*5.0MM            Cable length: 2.2M±0.15            Headset interface: USB 3.0</p>	¥58.00	\$8.17	1 * Gaming Headset 1 * User Manual 1 * USB2.0 Port	20	47*41*48	9.8
 X36 RGB	Black		<p>Speaker size: 40mm            Impedance: 32Ω            Sensitivity: 96±3dB            Frequency range: 20Hz-20KHz            Microphone size: 6.0*2.7MM            Microphone sensitivity: -42±1dB            Mic Frequency range: 100-10KHz            Operating voltage: 1.5-5.6V            Directivity: Omnidirectional            Cable length: 2.1m±0.15M            Headset interface: USB+X3.5mm Jack</p>	¥55.00	\$7.75	1 * Gaming Headset 1 * User Manual 1 * 1 to 3.5mm Jack adapter	20	47*41*48	11.2
 X29 RGB	Black		<p>Driver diameter: 50mm            Impedance: 32Ω±15%            Sensitivity: 105±3dB            Frequency range: 20Hz-20KHz            Microphone dimension: 6.0x2.7mm            Microphone Sensitivity: -38±1dB            Microphone Impedance: &lt;math&gt;2.2K\Omega&lt;/math&gt;            Directivity: Omni-directional            LED working voltage: DC 5V ± 5%            Working current: below 100mA            Headset interface: USB + X3.5mm            Cable length: 2.2M ± 0.15%</p>	¥43.00	\$6.06	1 * Gaming Headset 1 * User Manual 1 * 1 to 3.5mm Jack adapter	20	47*41*48	11.2
 X33 RGB (TYPE C Version+ Adapter to USB)	Black/Pink		<p>Speaker Diameter: 50mm            Impedance: 16±15%Ω            Frequency response: 20-20000Hz            Mic dimension: 96.0mm*5.0mm            Sensitivity: -46±2dB            Directivity: Omni-directional            Impedance: 2.2kΩ            Headset interface: USB+X3.5mm Jack            Cable length: 2M±0.05M</p>	¥46.00	\$6.48	1 * Gaming Headset 1 * User Manual 1 * Type C to USB adapter	20	47*41*48	11.2
 X35 Pro RGB (TYPE C Version+ Adapter to USB)	Pink/Beige		<p>Chipset: AB136D            Driver diameter: 50mm            Sensitivity: 102±1.5dB            Impedance: 15Ω±15%            Frequency range: 20Hz-20KHz            Mic dimension: 96.0*1.5            Mic sensitivity: -42±1dB            Mic impedance: 2.2KΩ            Directivity: Omni-directional            LED working voltage: DC 5V ± 5%            Headset interface: USB + 1 X3.5mm            Cable length: 2.1m</p>	¥55.00	\$7.75	1 * Gaming Headset 1 * User Manual 1 * Type C to USB adapter	20	47*41*48	11.2
 G782G2.4G+Blue tooth	Black/		<p>Chipset: JL7018M            Support Protocol: HSP_V1.2, HFP_V1.8, A2DP_V1.3.2, AVRCP_V1.6.2            Audio decoding: SBC, AAC            Driver diameter: 40mm            Bluetooth distance: &gt;15m            Microphone Sensitivity: &lt;math&gt;42dBV\pm3dBV&lt;/math&gt;            Mic Operating Impedance: &lt;math&gt;2.2K\Omega&lt;/math&gt;            Sensitivity: 115±10DB; Impedance: 32Ω±15%            Frequency response range: 20-20KHZ            Battery capacity: 1000mAh            Talk time (60% volume of light): 80H            Music time (60% volume with light on): 15H            Music time (60% volume with light off): 80H            Play time 2.4G (60% volume of light): 70H            Low latency: &lt;math&gt;240ms(2.4G)&lt;/math&gt;            Charging time: 2 hours</p>	¥87.00	\$12.25	1 * Gaming Headset 1 * User Manual 1 * Dongle 1 * Type C Cable 1 * For Charging And Line In	20	47*41*48	11
 G7819 (2.4G+Bluetooth)	Black		<p>Chipset: JL7018M            Support Protocol: HSP_V1.2, HFP_V1.8, A2DP_V1.3.2, AVRCP_V1.6.2            Audio decoding: SBC, AAC            Driver diameter: 40mm            Bluetooth distance: &gt;15m            Speaker Frequency: 20-20KHZ            Speaker Sensitivity: 115±10DB            Impedance: &lt;math&gt;32\Omega\pm10\%&lt;/math&gt;            Microphone Sensitivity: &lt;math&gt;42dBV\pm3dBV&lt;/math&gt;            Mic Impedance: 2.2KΩ            Battery capacity: 1000mAh            Talk time (60% volume of light): 60H            Music time (60% volume with light on): 20H            Music time (60% volume with light off): 60H            Low latency: &lt;math&gt;230ms(2.4G)&lt;/math&gt;            Charging time: 2 hours</p>	¥101.00	\$14.23	1 * Gaming Headset 1 * User Manual 1 * Dongle 1 * Type C Cable 1 * Line In Cable	20	47*41*48	11
 G7806 (2.4G+Bluetooth)	Black/White		<p>Chipset: JL7018M            Support Protocol: HSP_V1.2, HFP_V1.8, A2DP_V1.3.2, AVRCP_V1.6.2            Audio decoding: SBC, AAC            Bluetooth distance: &gt;15m            Microphone Sensitivity: &lt;math&gt;42dBV\pm3dBV&lt;/math&gt;            Operating Impedance: &lt;math&gt;2.2K\Omega&lt;/math&gt;            Sensitivity: 115±10DB            Driver diameter: 50mm            Impedance: 32Ω±15%            Frequency response range: 20-20KHZ            Battery capacity: 1000mAh            Talk time (60% volume of light): 100H            Music time (60% volume with light on): 10H            Music time (60% volume with light off): 100H            Low latency: &lt;math&gt;230ms(2.4G)&lt;/math&gt;</p>	¥73.00	\$10.28	1 * Gaming Headset 1 * User Manual 1 * Dongle 1 * Type C Cable 1 * For Charging And Line In	20	47*41*48	11

	GTX68 (2.4G+Bluetooth)	Black			<p>Chipset : JL7016M Support Protocol: HFP_V1.2, HFP_V1.8, A2DP_V1.2.2, AVRCP_V1.4.2 Audio decoding: SBC, AAC Bluetooth distance: &gt;15m Microphone Sensitivity: -42dBV±1dBV Operating Impedance: 2.2kΩ Directivity: Omni-directional Sensitivity: 115.4±3dB Driver diameter: 40mm Impedance: 32Ω±15% Frequency response range: 20-20KHz Battery capacity: 1000mAh Talk time (100% volume with lights on): 20H Music time (100% volume with lights on): 20H Music time (100% volume with lights off): 60H</p>	¥93.00	\$13.10	1 * Gaming Headset 1 * User Manual 1 * Dongle 1 * Type C Cable 1 * Line In Cable	20	47*41*48	12
	B15 (2.4G+Bluetooth)	Black			<p>Driver diameter: 50mm Driver sensitivity: 101±4dB at 1KHz Chipset: JL7016M/JL7016M Wireless distance: 10m Microphone size: φ6*2.7mm Microphone Frequency: 100Hz~10000Hz Microphone Sensitivity: -32dB±15% Impedance: &lt;math&gt;32\Omega\pm 15\%&lt;/math&gt; Frequency response range: 20Hz ~ 20KHz Charging time: 2H Play time: 18H Battery capacity: 1000mAh Low latency:&lt;math&gt;&lt; 50ms(2.4G)&lt;/math&gt;</p>	¥74.00	\$10.42	1 * Gaming Headset 1 * User Manual 1 * Dongle 1 * Type C Cable For Charging And Line In	20	53*39*46	12
	B100 (2.4G+Bluetooth)	Black/White			<p>Driver diameter: 50mm Driver sensitivity: 101±4dB at 1KHz Chipset: JL7016M/JL7016M Wireless distance: 10m Microphone size: φ6*2.7mm Microphone Frequency: 100Hz~10000Hz Microphone Sensitivity: -32dB±15% Impedance: &lt;math&gt;32\Omega\pm 15\%&lt;/math&gt; Frequency response range: 20Hz ~ 20KHz Charging time: 2H Play time: 18H Battery capacity: 1000mAh Low latency:&lt;math&gt;&lt; 50ms(2.4G)&lt;/math&gt;</p>	¥90.00	\$12.68	1 * Gaming Headset 1 * User Manual 1 * Dongle 1 * Type C Cable 1 * Line In Cable	20	47*41*48	12
	B2 (2.4G+Bluetooth)	Black/White			<p>Driver diameter: 40mm Driver sensitivity: 101±4dB at 1KHz Chipset: JL7016M Wireless distance: ~10m Microphone size: φ6*2.7mm Microphone Frequency: 100Hz~10000Hz Microphone Sensitivity: -32dB±15% Impedance: &lt;math&gt;32\Omega\pm 15\%&lt;/math&gt; Frequency response range: 20Hz ~ 20KHz Charging time: 1.5H Play time: &gt;30H Battery capacity: 500mAh Low latency:&lt;math&gt;&lt; 50ms(2.4G)&lt;/math&gt;</p>	¥87.00	\$12.25	1 * Gaming Headset 1 * User Manual 1 * Dongle 1 * Type C Cable For Charging And Line In	20	47*41*48	12
	GTX20 (Bluetooth)	Beige/Silver			<p>Chipset: JL70064 Bluetooth Version: 5.4 Audio decoding: SBC, AAC Driver diameter: 32mm Impedance: 32Ω±15% Driver sensitivity: 106dB±3dB Frequency response range: 20Hz ~ 20KHz Wireless distance: ~15M Microphone size: φ4*1.3mm Microphone Sensitivity: -43dB±3dB Charging time: 2.5H Play time: 60H (50%volume) Battery capacity: 500mAh</p>	¥65.00	\$9.15	1 * Gaming Headset 1 * User Manual 1 * Charging Cable	20	47*41*48	11.2
	GTX11 (Bluetooth) ANC	Black			<p>Driver diameter: 40mm Driver sensitivity: -119dBm±3db at 1KHz Chipset: JL70064 ANC Wireless distance: 10m Microphone size: φ6*2.7mm Microphone Frequency: 100Hz~10000Hz Microphone Sensitivity: -32dB±15% Impedance: &lt;math&gt;32\Omega\pm 15\%&lt;/math&gt; Frequency response range: 20Hz ~ 20KHz Charging time: 2H Play time: 50H (50%volume) Battery capacity: 500mAh</p>	¥88.00	\$12.39	1 * Gaming Headset 1 * User Manual 1 * Charging Cable	20	47*41*48	11.2
	B3 (Bluetooth)	Black			<p>Model: B3(Bluetooth+USB cable) Chip model: JL70064 Bluetooth version V5.3 Audio decoding: SBC, AAC Item: φ40mm Microphone: φ4*1.5mm Battery capacity: 300mAh Playback time (BT lights on): 20h/60% volume Playback time (BT lights off): 30h/60% volume Low latency: &lt;math&gt;&lt; 50ms&lt;/math&gt; (+5 ms max seconds)</p>	¥70.00	\$9.86	1 * Gaming Headset 1 * User Manual 1 * Charging Cable	20	47*41*48	11.2
	X31	Black			<p>Speaker Diameter: 50mm Impedance: 16Ω±15% Sensitivity: 115dB±3db Frequency: 20-20000Hz Mic sensitivity: -38db±-3db Mic Impedance: 2.2 kohm Directivity: Omni-directional Cable length: 2.1m±0.15M Headset interface: USB+1 X3.5mm Jack</p>	¥39.00	\$5.49	1 * Gaming Headset 1 * User Manual 1 * 1 to 3.5mm Jack adapter	20	53*39*46	11.7
	X12	Black			<p>Speaker Diameter: 50mm Impedance: 16Ω±15% Sensitivity: 115dB±3db Frequency: 20-20000Hz Mic sensitivity: -38db±-3db Mic Impedance: 2.2 kohm Directivity: Omni-directional Cable length: 2.1m±0.15M Headset interface: USB+1 X3.5mm Jack</p>	¥38.00	\$5.17	1 * Gaming Headset 1 * User Manual 1 * 1 to 3.5mm Jack adapter	20	53*39*46	11.7
	X13	Black/Pink/White			<p>Speaker Diameter: 50mm Impedance: 16Ω±15% Sensitivity: 115dB±3db Frequency: 20-20000Hz Mic sensitivity: -38db±-3db Mic Impedance: 2.2 kohm Directivity: Omni-directional Cable length: 2.1m±0.15M Headset interface: USB+1 X3.5mm Jack</p>	¥36.00	\$7.89	1 * Gaming Headset 1 * User Manual 1 * 1 to 3.5mm Jack adapter	20	53*39*46	11.7

	X20 RGB 3.5mm	Black		Speaker Diameter: 50mm Impedance: 32ohm +/-15% Sensitivity:105db/-1db Frequency:20-20000Hz Mic Dimension:6.0*2.7mm Mic sensitivity:-42db/-1-3db Mic Impedance:2.2 kohm Directivity:Omn-directional Headset interface: USB +1 X3.5mm Jack Cable length:2.2m	¥73.00	\$10.28	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	16	53*39*44	11.7
	X20 RGB USB 7.1 Virtual	Black		Speaker Diameter: 50mm Impedance: 32ohm +/-15% Sensitivity:115db/-1db Frequency:20-20000Hz Mic sensitivity:-38db/-1-3db Mic Impedance:2.2 kohm Directivity:Omn-directional Headset interface: USB +1 X3.5mm Jack Cable length:2.2m	¥85.00	\$11.97	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	16	53*39*44	11.7
	X25	Grey/Black		Speaker Diameter: 50mm Impedance: 16ohm +/-15% Sensitivity:115db/-1db Frequency:20-20000Hz Mic sensitivity:-38db/-1-3db Mic Impedance:2.2 kohm Directivity:Omn-directional Cable length:2.1m+0.15M Headset interface: USB +1 X3.5mm Jack	¥48.00	\$6.76	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20	53*39*46	11.7
	X32	Black RGB	 	Speaker Diameter: 50mm Impedance:32ohm +/-15% Sensitivity:112db/-1db Frequency: 20-20000Hz Mic sensitivity:-42db/-1-3db Mic Impedance:2.2 kohm Directivity:Omn-directional Cable length:2.1m+0.15M Headset interface: USB +1 X3.5mm Jack	¥47.00	\$6.62	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20	53*39*46	11.7
	X22	Black/White		Speaker Diameter: 50mm Impedance: 32ohm +/-15% Sensitivity:112db/-1db Frequency: 20-20000Hz Mic sensitivity:-42db/-1-3db Mic Impedance:2.2 kohm Directivity:Omn-directional Cable length:2.1m+0.15M Headset interface: USB +1 X3.5mm Jack	¥63.00	\$8.87	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20.09	53*39*46	11.7
	X7 Pro New Version	Black RGB		Driver Unit: 50mm Sound Pressure Level: 118-148dB/1kHz/1mW Frequency Response: 20Hz~20KHz Impedance: 32ohm +/-15% Mic Frequency Response: 20Hz~20,000Hz Mic Impedance: 2.2k +/-10% Mic Sensitivity: -36dB Cord Length: 2.2m +/-0.2 Input Connection: 3.5mm plug +USB	¥40.00	\$5.63	1 * Gaming Headset 1 * User Manual	20	53*39*46	11.7
	X10 White LED	White With Cat Ear		Speaker Diameter: 50mm Impedance:32ohm +/-15% Sensitivity:112db/-1db Frequency:20-20000Hz Mic sensitivity:-42db/-1-3db Mic Impedance:2.2 kohm Directivity:Omn-directional Cable length:2.1m+0.15M Headset interface: USB +1 X3.5mm Jack	¥83.00	\$11.69	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20	53*39*46	11.7
	X10 subson	Black Red		Speaker Diameter: 50mm Impedance: 32ohm +/-15% Sensitivity:112db/-1db Frequency:20-20000Hz Mic sensitivity:-42db/-1-3db Mic Impedance:2.2 kohm Directivity:Omn-directional Cable length:2.1m+0.15M Headset interface: USB +1 X3.5mm Jack	¥85.00	\$11.97	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20	53*39*46	11.7
	X15 PRO RGB	Black	 	Driver diameter: 50mm Impedance: 20ohm +/- 15% Sensitivity: 102db +/- 3dB Frequency range: 20-20KHz Mic dimension: 6.0 * 5.0mm Mic sensitivity: -38dB +/- 3dB Mic impedance: 2.2K +/- 50% 1KHZ Directivity: Omnidirectional LED working voltage: DC5V +/- 5% Headset interface: 1x3.5mm + USB Cord Length: 2.1m +/- 0.15m	¥49.00	\$6.90	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20.00	47*41*48	11.20
	X15 Pro RGB	PINK	 	Driver diameter: 50mm Sensitivity: 102 +/- 3dB Impedance: 15ohm +/-15% Frequency range: 20Hz-20KHz Mic dimension: 6.6*1.5 Mic sensitivity: -42±3dB Mic impedance: 2.2K +/- 5% Directivity: Omni-directional LED working voltage: DC5V +/- 5% Headset interface: USB +1 X3.5mm Cable length:2.1m	¥52.00	\$7.32	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20	47*41*48	11.2
	X15 Pro RGB	PINK/Black Cat Ear	 	Driver diameter: 50mm Sensitivity: 102 +/- 3dB Impedance: 15ohm +/-15% Frequency range: 20Hz-20KHz Mic dimension: 6.6*1.5 Mic sensitivity: -42±3dB Mic impedance: 2.2K +/- 5% Directivity: Omni-directional LED working voltage: DC5V +/- 5% Headset interface: USB +1 X3.5mm Cable length:2.1m	¥59.00	\$8.31	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.5.5mm Jack adapter	20	47*41*48	11.2

			Driver diameter: 50mm Sensitivity: 102±3dB Impedance: 15Ω±15% Frequency range: 20Hz-20KHz Mic dimension: 66.0*1.5 Mic sensitivity: -42±3dB Mic impedance: 2.2KΩ Directivity: Omni-directional LED working voltage: DC5V ±.5% Headset interface: USB +1 X3.5mm Cable length: 2.1m	¥59.00	\$8.31	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	47*41*48	11.2
			Driver diameter: 50mm Sensitivity: 105±3dB Impedance: 15Ω±15% Frequency range: 20Hz-20KHz Mic dimension: 64.0*1.5 Mic sensitivity: -42±3dB Mic impedance: 2.2KΩ Directivity: Omni-directional LED working voltage: DC5V ±.5% Headset interface: USB +1 X3.5mm Cable length: 2.1m	¥53.00	\$7.46	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	47*41*48	11.2
			Driver diameter: 50mm Sensitivity: 101±3dB Impedance: 15Ω±15% Frequency range: 20Hz-20KHz Mic dimension: 64.0*1.5 Mic sensitivity: -42±3dB Mic impedance: 2.2KΩ Directivity: Omni-directional LED working voltage: DC5V ±.5% Headset interface: USB +1 X3.5mm Cable length: 2.1m	¥64.00	\$9.01	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	47*41*48	11.2
			Driver diameter: 50mm Sensitivity: 101±3dB Impedance: 15Ω±15% Frequency range: 20Hz-20KHz Mic dimension: 64.0*1.5 Mic sensitivity: -42±3dB Mic impedance: 2.2KΩ Directivity: Omni-directional LED working voltage: DC5V ±.5% Headset interface: USB +1 X3.5mm Cable length: 2.1m	¥67.00	\$9.44	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	47*41*48	11.2
	Promotion		Speaker Diameter: 50mm Impedance: 16ohm ±.15% Sensitivity: 115db ±.5db Frequency: 20Hz-20000Hz Mic dimension: 66.0*2.2mm Mic sensitivity: -38db ±.5db Mic impedance: 2.2 kohm Directivity: Omni-directional Cable length: 2.1m/1.8 15M Headset interface: USB +1 X3.5mm Jack	¥63.00	\$8.87	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	47*41*48	11.2
			Driver diameter: 50mm Impedance: 320Ωm ±.15% Sensitivity: 116db ±.3db Frequency range: 20-20KHz Mic dimension: 6.0 * 5.0mm Mic sensitivity: -56db ±.2db Mic impedance: 2.2kΩohm Directivity: Omnidirectional LED working voltage: DC5V ±.5% Headset interface: 3.5mm + USB	¥67.00	\$9.44	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	53*39*44	11.7
<b>HOT</b>	K9 RGB 3.5mm		Driver diameter: 50mm Impedance: 320Ωm ±.15% Sensitivity: 116db ±.3db Frequency range: 20-20KHz Mic dimension: 6.0 * 5.0mm Mic sensitivity: -56db ±.2db Mic impedance: 2.2kΩohm Directivity: Omnidirectional LED working voltage: DC5V ±.5% Headset interface: 3.5mm USB	¥79.00	\$11.13	1 * Gaming Headset 1 * User Manual 1 * 2 in 1 3.5mm Jack adapter	20	53*39*44	11.7
	K9 RGB USB 7.1 Virtual		¥93.00	\$13.10	1 * Gaming Headset 1 * User Manual	20	53*39*44	11.7	
<b>HOT</b>	K9 RGB 3.5mm		Driver diameter: 50mm Impedance: 320Ωm ±.15% Sensitivity: 116db ±.3db Frequency range: 20-20KHz Mic dimension: 6.0 * 5.0mm Mic sensitivity: -56db ±.2db Mic impedance: 2.2kΩohm Directivity: Omnidirectional LED working voltage: DC5V ±.5% Headset interface: 3.5mm USB	¥79.00	\$11.13	1 * Gaming Headset 1 * User Manual 1 * 2 in 1 3.5mm Jack adapter	20	53*39*44	11.7
	K9 RGB 3.5mm		¥79.00	\$11.13	1 * Gaming Headset 1 * User Manual	20	53*39*44	11.7	
<b>HOT</b>	K9 RGB 3.5mm		Driver diameter: 50mm Impedance: 320Ωm ±.15% Sensitivity: 116db ±.3db Frequency range: 20-20KHz Mic dimension: 6.0 * 5.0mm Mic sensitivity: -56db ±.2db Mic impedance: 2.2kΩohm Directivity: Omnidirectional LED working voltage: DC5V ±.5% Headset interface: 3.5mm USB	¥83.00	\$11.69	1 * Gaming Headset 1 * User Manual 1 * 2 in 1 3.5mm Jack adapter	20	53*39*44	11.7
	K9 RGB USB 7.1 Virtual		¥96.00	\$13.52	1 * Gaming Headset 1 * User Manual	20	53*39*44	11.7	
<b>HOT</b>	K10 RGB 3.5mm		Speaker Diameter: 50mm Impedance: 32Ωm ±.15% Sensitivity: 105db ±.3db Frequency: 20-20000Hz Mic Dimension: 6.0 * 2.2mm Mic sensitivity: -42db ±.3db Mic Impedance: 2.2 kohm Directivity: Omni-directional Headset interface: USB +1 X3.5mm Jack Cable length: 2.2m	¥62.00	\$8.73	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	53*39*44	11.7
	K10 RGB USB 7.1 Virtual		¥77.00	\$10.85	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	53*39*44	11.7	

K10 Pro RGB	Black	 	<p>Speaker Diameter: 50mm Impedance:32ohm±15% Sensitivity:105dB±3dB Frequency:20-20000Hz Mic Dimension:6.0*2.2mm Mic sensitivity:42db±3db Mic Impedance:2.2kohm Directivity:Omn-directional Headset interface: USB + X3.5mm Jack Cable length:2.2m</p>	¥75.00	\$10.56	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	53°39'44	11.7	
<b>HOT</b>	KS RGB	Black/White	 	<p>Driver diameter: 50mm Sensitivity: 105±3dB Impedance: 32Ω±5% Frequency range: 20Hz-20KHz Mic dimension: 6.0*2.2mm Mic sensitivity: 42±3dB Mic impedance: 2.2KΩ Directivity: Omni-directional LED working voltage: DC5V ±5% Headset interface: USB + X3.5mm Cable length: 2.2m</p>	¥47.00	\$6.62	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	53°39'44	11.7
KS (2024 Version)	Camouflage White	 	<p>Driver Unit: 090mm Sound Pressure Level: 118±3dB/1kHz/1mW Frequency Response: 20Hz~20KHz Impedance: 32Ω±5% Mic Frequency Response: 20Hz~20,000Hz Mic Impedance: 2.2K±10% Mic Sensitivity: -36±3dB Cord Length: 2.2m Input Connection: 3.5mm plug +USB</p>	¥57.00	\$8.03	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20.00	53°39'46	10.90	
	Camouflage Green	 	<p>Driver Unit: 090mm Sound Pressure Level: 118±3dB/1kHz/1mW Frequency Response: 20Hz~20KHz Impedance: 32Ω±5% Mic Frequency Response: 20Hz~20,000Hz Mic Impedance: 2.2K±10% Mic Sensitivity: -36±3dB Cord Length: 2.2m Input Connection: 3.5mm plug +USB</p>	¥57.00	\$8.03	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20.00	53°39'46	10.90	
<b>HOT</b>	K19	Black	 	<p>Driver Unit: 090mm Sound Pressure Level: 118±3dB/1kHz/1mW Frequency Response: 20Hz~20KHz Impedance: 32Ω±5% Mic Frequency Response: 20Hz~20,000Hz Mic Impedance: 2.2K±10% Mic Sensitivity: -36±3dB Cord Length: 2.2m Input Connection: 3.5mm plug +USB</p>	¥42.00	\$5.92	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	53°39'46	10.9
K19	Camouflage White	 	<p>Driver Unit: 090mm Sound Pressure Level: 118±3dB/1kHz/1mW Frequency Response: 20Hz~20KHz Impedance: 32Ω±5% Mic Frequency Response: 20Hz~20,000Hz Mic Impedance: 2.2K±10% Mic Sensitivity: -36±3dB Cord Length: 2.2m Input Connection: 3.5mm plug +USB</p>	¥49.00	\$6.90	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20.00	53°39'46	10.90	
	Camouflage Grey	 	<p>Driver Unit: 090mm Sound Pressure Level: 118±3dB/1kHz/1mW Frequency Response: 20Hz~20KHz Impedance: 32Ω±5% Mic Frequency Response: 20Hz~20,000Hz Mic Impedance: 2.2K±10% Mic Sensitivity: -36±3dB Cord Length: 2.2m Input Connection: 3.5mm plug +USB</p>	¥49.00	\$6.90	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20.00	53°39'46	10.90	
<b>HOT</b>	K20 RGB	Black	 	<p>Speaker Diameter: 40mm Impedance:32ohm±15% Sensitivity:105db±3db Frequency:20-20000Hz Mic sensitivity:38db±3db Mic Impedance:2.2kohm Directivity:Omn-directional Headset interface: USB + X3.5mm Jack Cable length:2.2m</p>	¥46.00	\$6.48	1 * Gaming Headset 1 * User Manual 1 * 1 to 2.3.5mm Jack adapter	20	52°38'54.5	9.15
<b>NEW</b>	B5 (Bluetooth)	Pink / Off- White	 	<p>Driver diameter: 50mm Chipset: JL695F Support Protocol:AVRCP1.4, A2DP1.2, HFP1.6, HSP1.2 Audio decoding:WMA, APE, FLAC, AAC, M4A, WAV, AIF, ABC Bluetooth distance: 10m Frequency: 2.402GHz-2.480GHz Microphone Sensitivity:-38±3DB Sensitivity:101±3DB Impedance:32Ω Frequency response range: 20-15KHZ Battery capacity :1000mAh Play time:15hours Low latency:50ms(2.4G) Charging time: about 2 hours</p>	¥81.00	\$11.41	1 * Gaming Headset 1 * User Manual 1 * Charging Cable	20	47°41'48	11.2
<b>NEW</b>	B5 (2.4G Bluetooth) inc in)	White Blue/Pink	 	<p>Driver diameter: 50mm Chipset: JL7018M Support Protocol:AVRCP1.4, A2DP1.2, HFP1.6, HSP1.2 Audio decoding:WMA, APE, FLAC, AAC, M4A, WAV, AIF, ABC Bluetooth distance: 10m Frequency: 2.402GHz-2.480GHz Microphone Sensitivity:-42±3DB Sensitivity:115.4±3DB Impedance:32Ω Frequency response range:20-20KHZ Battery capacity :1000mAh Play time:6hours Low latency:50ms(2.4G) Charging time: 1.5 hours</p>	¥105.00	\$14.79	1 * Gaming Headset 1 * User Manual 1 * Charging Cable 1 * Dongle	20	47°41'48	11.2
<b>HOT</b>	B60 (Bluetooth)	Black	 	<p>Driver diameter: 40mm Chipset: JL700 Version BT5.0 Support Protocol:AVRCP1.4, A2DP1.2, HFP1.6, HSP1.2 Audio decoding:WMA, APE, FLAC, AAC, M4A, WAV Bluetooth distance: 10m Frequency: 2.402GHz-2.480GHz Microphone Sensitivity:-42±3DB Sensitivity:94±3DB Impedance:32Ω Frequency response range: 20-15KHZ Battery capacity :500mAh Play time:15-22hours Low latency:60ms(±15ms) Charging time: about 2 hours</p>	¥62.00	\$8.73	1 * Gaming Headset 1 * User Manual 1 * Charging Cable	20	47°41'48	11.2

<b>HOT</b>	Pink		Driver diameter: 40mm Chipset :L AC9096AVersion BT5.0 Support Protocol HFP,HSP,A2DP,AVRCP,SBC Bluetooth distance: 10m Frequency range: 20Hz-20KHz Microphone Sensitivity:-42±3dB Sensitivity:99±1dB Impedance: 32Ω±8m Battery capacity: 800mAh Play time:15-20hours Charging time: about 3 hours	¥69.00	\$9.72	1 * Gaming Headset 1 * User Manual 1 * Charging Cable	20	47*41*48	11.2	
	Black									
	Blue Purple			¥71.00	\$10.00	1 * Gaming Headset 1 * User Manual 1 * Charging Cable	20	47*41*48	11.2	
	ST-1	Pink		Headbuckle Holder	¥8.50	\$1.20	1 * Stand	60	43*727.3*26.8	9.5
	ST-1	Black		Headbuckle Holder	¥8.50	\$1.20		60	43*727.3*26.8	9.5
<b>HOT</b>	ST-2	Pink White Black		Headbuckle Holder RGB Light In: USB 1 x 3.5mm Jack	¥48.00	\$6.76	1 * Stand	20	43*54*562	9.5
	Promotion									
	ST-3	Red		Headbuckle Holder	¥8.00	\$1.13	1 * Stand	30	58.5*32.5*41.5	10.2
<b>NEW</b>	L7 SPEAKER (Portable Wireless Speaker)	Black		Bluetooth: v5.3 Speaker:JLAC9096 IC:TLA60909 Product size: 120*110*90mm Frequency range: 80Hz-12KHz LED Voltage: 5V/1A Working time: 1-2hours(with light),2-3hours(with light) Button Life: More than 5000 times Output power: 8W*2 Product weight: 465g charging time: 2 hours Material: ABS Speaker battery: 1500MAH Microphone Battery:500MAH	¥80.00	\$11.27	1 * Gaming Headset 1 * User Manual 1 * 1 in 2.5.5mm Jack adapter	20	49*32*42	11.7
		Beige/Pink			¥77.00	\$10.85	1 * Gaming Headset 1 * User Manual 1 * 1 in 2.5.5mm Jack adapter	20	49*32*42	11.7
	L2 SPEAKER	Black		Output power:8W*2 Frequency range:60Hz-20KHz Signal&noise ratio : ≥60dB Power supply :USB DC 5V Material plastic: ABS Audio interface: 3.5mm Audio Cable length: 1.5m Product size: 80*115*174 mm weight: 613g Color : Black	¥48.00	\$6.76	1 * Speaker 1 * Adapter 1 * User Manual	12	49*32*42	10.8
<b>HOT</b>	L6 SPEAKER	Black		Output power:8W*2 Frequency range: 120Hz-18KHz Signal&noise ratio : ≥60dB Power supply :USB DC 5V Material plastic: ABS Audio interface: 3.5mm Audio Cable length: 1.6m Product size: 80*115*174 mm weight: 613g Color : Black	¥48.00	\$6.76	1 * Speaker 1 * Adapter 1 * User Manual	20	49*39*47	14.1
	L1 SPEAKER	Black		Output power:8W*2 Frequency range: 60Hz-20KHZ Signal&noise ratio : ≥60dB Power supply :USB DC 5V Material plastic: ABS Audio interface: 3.5mm Audio Cable length: 1.6m Product size: 80*115*174 mm weight: 591g Color : Black	¥52.00	\$7.32	1 * Speaker 1 * Adapter 1 * User Manual	16	45*43.8*32.3	14.9

L16 SPEAKER	Black		<p>Bluetooth Version: 5.3  Bluetooth Receiving Distance: 15m  Output power(RMS): 5W*2  Frequency range: 66Hz-20KHz  Power supply : DC 3V (AUUSB)  Controls: Volume Control Power Switch  Material: Plastic, ABS  Product Size: W380*D68*H80mm</p>	¥49.00	\$6.90	1 * Speaker 1 * Adapter 1 * User Manual	20	46*41*40	15.4
T25	Black		<p>Bluetooth version: V5.4  Chipset: A85656C2  Bluetooth range: &gt;15m  Speaker size: 12mm  Sensitivity: 102dB ±3dB  Frequency response range: 20-20KHZ  Music time: 4.5H (100% volume)  Charging input :Type-c  Headphone battery: 30mAh  Charging battery: 400 mAh  Charging time:1.5H</p>	¥46.00	\$6.40	1 * Earphone 1 * Charging cable 1 * Extra hear 1 * User Manual	60	49*30.5*34.0	9
T209	Black		<p>Bluetooth version: V5.4  Chipset: A85656C  Bluetooth range: &gt;15m  Speaker size: 16mm  Speaker Impedance: 16Ω±10%  Sensitivity: 115±3dB Working time: 6H  Frequency range: 20HZ-20KHZ  Microphone size: 02.75mm*1.85mm*0.90mm  Microphone sensitivity: -42dBV±1dBV  Working voltage: &lt;1.5&gt;1.5V  Charging input :Type-c  Headphone battery: 70mAh  Charging battery: 300 mAh  Charging time:2H</p>	¥45.00	\$6.34	1 * Earphone 1 * Charging cable 1 * Extra hear 1 * User Manual	60	49*30.5*34.0	9
T302	Pink/White		<p>Bluetooth version: V5.3  Chipset: AD971D4  Bluetooth range: &gt;15m  Speaker size: 10mm  Speaker Impedance: 32Ω±10%  Sensitivity: 105±3dB Working time: 6H  Frequency range: 20HZ-20KHZ  Microphone size: 02.75mm*1.85mm*0.90mm  Microphone sensitivity: -42dBV±1dBV  Working voltage: 1.5-3.6V  Working current: 5mA  Charging input :Type-c  Earbuds charging current: 30mA  Charging case capacity: 500 mAh  Charging time: 1.5H</p>	¥61.00	\$8.59	1 * Earphone 1 * Charging cable 1 * Extra hear 1 * User Manual	60	49*30.5*34.0	10
T27 (2.4G) Bluetooth	Black		<p>Chipset: JL7006F Dongle: JL6976M  Bluetooth version: 5.3  Speaker size: 10MM  Bluetooth range: 10m  Sensitivity: 105±3dB  Box capacity: 400MAH  Low latency&lt;50ms(2.4G)  Headset battery: 45MAH  Charging time for box: 1.5H  Working time: 6H  Frequency response range: 20Hz-20KHZ  Waterproof grade: IPX 4  (2.4G are suitable for Android Mobilephone)</p>	¥95.00	\$13.38	1 * Earphone 1 * Charging cable 1 * Type-c to U Adapter 1 * Dongle 1 * User Manual	60	49*30.5*34.0	10
T18	Black/White Rage/Blue		<p>Speaker size: 12.5mm  Impedance: 32Ω±15%  Sensitivity: 104±3dB  Working time: 6H  Frequency range: 20HZ-20KHZ  Microphone size: 2.7x1.8 x 1.2mm  Microphone sensitivity: -38±3dB  Microphone impedance: &lt;2.2KΩ  Directionality: omni-directional  Working voltage: 3.7V/2.7V  Working current: &lt;20mA  Headphone jack: Type-c  Headphone battery: 35mAh  Charging battery: 350mAh</p>	¥49.00	\$6.90	1 * Earphone 1 * Charging cable 1 * User Manual	60	49*30.5*34.0	10
T36	Black		<p>Chipset: JL A20973  Bluetooth version: 5.3  Materials: ABS  Bluetooth range: 10m  Box capacity: 300MAH  Headset battery: 45MAH  Charging time for earbuds: 1.5H  Charging time for box: 2H  Music time: 6H  Talking time: 3.5H  Drivers: 13mmmm, 32Ω  Frequency response range: 20-20KHZ</p>	¥47.00	\$6.62	1 * Earphone 1 * Charging cable 1 * User Manual	60	49*30.5*34.0	10
T20	Black/White		<p>Chipset: JL6972D  Bluetooth version: 5.3  Speaker size: 8MM  Support agreement:  HSP/HFP/A2DP/AVRCP  Bluetooth range: 10m  Box capacity: 300MAH  Headset battery: 30MAH  Charging time for earbuds: 1H  Charging time for box: 1H  Music time: 5H  Frequency response range: 20Hz-20KHZ</p>	¥61.00	\$8.59	1 * Earphone 1 * Charging cable 1 * User Manual	60	49*30.5*34.0	10
T1	Black		<p>Chipset: JL7006F8 ENC  Bluetooth version: 5.3  Speaker size: 13MM  Support agreement:  HSP/HFP/A2DP/AVRCP  Bluetooth range: 10m  Box capacity: 320MAH  Headset battery: 40MAH  Charging time for earbuds: 1.5H  Charging time for box: 2H  Music time: 6H  Drivers: 13mm  Frequency response range: 20Hz-20KHZ</p>	¥40.00	\$5.63	1 * Earphone 1 * Charging cable 1 * User Manual	60	49*30.5*34.0	10

Promotion			<p>Chipset: JL AD7066 ENC+ANC  Speaker size: 10mm  working time: 4H  Impedance: 32Ω±15%  charging time: 2H  Sensitivity: 104.3db  charging port: Type-c  Frequency range: 20Hz-20KHz  low latency &lt;math&gt;250ms&lt;/math&gt;  Headphone battery: 40mAh  Charging compartment battery: 380mAh</p>	¥49.00	\$6.90	1* Earphone 1* Charging cable 1* User Manual	60	49*30.5*34.0	10	
	T37	White/Orange 	<p>Chipset: JL 6973  Bluetooth version: 5.3  Materials: ABS  Support agreement:  HSP/HFP/A2DP/AVRCP  Bluetooth range: 10m  Box capacity: 300MAH  Headset battery: 40MAH  Charging time for earbuds: 1.5H  Charging time for box: 2H  Music time: 4H Talking time: 3H  Drivers: &lt;math&gt;7&lt;/math&gt; 10mm  Frequency response range: 20Hz-20KHZ</p>	¥37.00	\$5.21	1* Earphone 1* Charging cable 1* User Manual	60	49*30.5*34.0	6	
	T38 (2024 New Version)	Black 	<p>Chipset: ABS56C2  Bluetooth version: 5.3  Materials: ABS  Support agreement:  HSP/HFP/A2DP/AVRCP  Bluetooth range: 10m  Box capacity: 300MAH  Headset battery: 40MAH  Charging time for earbuds: 1.5H  Music time: 4H  Drivers: &lt;math&gt;7&lt;/math&gt; 10mm  Frequency response range: 20Hz-20KHZ</p>	¥36.00	\$5.07	1* Earphone 1* Charging cable 1* User Manual	60	49*30.5*34.0	10	
Promotion			<p>Bluetooth version: V5.3  Bluetooth solution: JL69K3  Speaker size: 13MM  Half switch: No  Battery capacity: 30mAh  Playing music time: 4 hours  Rated input: 5V 30mA  Charging time: about 1.5 hour  Battery capacity: 180mAh  Rated input: 5V 250mA  Charging time: about 2 hours</p>	¥25.00	\$3.52	1* Earphone 1* Charging cable 1* User Manual	60	49*30.5*34.0	10	
Promotion			<p>Chipset: JL 69K124  Bluetooth version: 5.0  Materials: ABS  Support agreement:  HSP/HFP/A2DP/AVRCP  Decoding format: AAC/SBC/MP3  Bluetooth range: 10m  Box capacity: 300MAH  Headset battery: 35MAH  Charging time for earbuds: 1.5H  Charging time for box: 2H  Music time: 4H  Talking time: 4H  Drivers: &lt;math&gt;7&lt;/math&gt; 10mm</p>	¥25.00	\$3.52	1* Earphone 1* Charging cable 1* User Manual	60	49*30.5*34.0	10	
	M630	Pink 	<p>Size: 9.0*7.0mm  Sensitivity: &lt;math&gt;-54.3db&lt;/math&gt;  Impedance: &lt;math&gt;52.2K\Omega&lt;/math&gt;  current: 1A  LED working voltage: 5V  Length: 1.6M</p>	Working Cable	¥94.00	\$13.24	1* Microphone 1* USB cable 1* User Manual	40	49*30.5*34.0	10
			<p>Size: 9.0*7.0mm  Sensitivity: &lt;math&gt;-54.3db&lt;/math&gt;  Impedance: &lt;math&gt;52.2K\Omega&lt;/math&gt;  current: 1A  LED working voltage: 5V  Length: 1.6M</p>	Working Cable	¥44.00	\$6.20	1* Microphone 1* USB cable 1* User Manual	40	49*30.5*34.0	10



**SHENZHEN OUNI TECHNOLOGY CO.,LTD**

Address: 9th Floor, Block C, Building 8, Honglu Fushui Huiji Building, Honglu Community, Dilang Sub-District, Longhua District, Shenzhen, China  
 ATTN: Lucas Email: Lucas@oni-kuma.com Mobile/Wechat/WhatsApp: +86-15814406636

MODEL NO.	Color	IMAGE	Specifications	100PCS+		Packing Details	PCs/CTN	CTN DIM (CM)	G.W. (KG)
				RMB	USD				
CW929	Black/White		Interface: USB 2.0 MCU: Instant D26 Sensor: A825 Frame rate: 1600FPS Left and right button Life time: 5000000hits DPI: 400(red)-800(green)-1600(blue)-3200(yellow)-6400(orange) Dimension: 122.5*64*38.5 mm Weight: 68.0g +/-5g Polling rate: 1000Hz-125Hz-250Hz-500Hz System Requirements: Win7,Win8,win10,Windows VISTA,XP	¥33.00	\$4.65	1*Mouse 1* User Manual	60	47.5*28.8*30.3	7
CW928 2.4G +Bluetooth/Wired	Black/White		Interface: Wired-2.4G Wireless IC: RK3225D0 Sensor: PAW3311 High speed motion detection : 30FPS Battery : 3.7v/400mAh Charging time:1.5H Working time: 20H Left and right button Life time :1000000 hits DPI: 800RL/1200GL/2400BL/3600YL/4800CYan/6000Purple/12000White Polling rate: 1000Hz-125Hz-250Hz-500Hz System Requirements: XP,Win7,Win8,win10	¥83.00	\$11.69	1*Mouse 1* User Manual	60	47.5*28.8*30.3	7
CW917 2.4G +Wired	Black/White		Interface: Wired-2.4G Wireless IC: QFN6206 Sensor: PAW3212D0 High speed motion detection : 30FPS Battery : 3.7v/400mAh Charging time:1.5H Working time: 20H Left and right button Life time :1000000 hits DPI: 800 Red 1200 Green 1600 Blue 2400 Orange 4800 Polling rate: 250Hz System Requirements: XP,Win7,Win8,win10	¥37.00	\$5.21	1*Mouse 1* User Manual	60	47.5*28.8*30.3	7
CW925	Black/Pink/White		Material: Transparent PC Weight: 110-110 g Dimension: 122*62*40mm Cable Length: 1.5M Image Sensor: Instant A825 Interface: USB 2.0 Movement Acceleration: 20G DPI: 800RED/1200 GN/1600BL/3200YL/5600 Van/12800PUR Polling Rate: 125Hz-250Hz-500Hz-1000Hz Movement Speed: 60 Inch/s Compatible Systems: Windows XP/VISTA WIN7/WIN8 WIN10	¥40.00	\$5.63	1*Mouse 1* User Manual	60	47.5*28.8*30.3	6
CW923	Wired White		Interface: USB 2.0 Image Sensor: InstantA825 Acceleration : 20G DPI: 1200 Y/L/1600BL/2400Purple/3200GN/4800RED/12800Cy an Polling rate: 1000Hz RGB light 7 buttons press "left" then "DPI+" to switch light effect; press "wheel" then "DPI+" to turn on/off light; Blue 124*73*41mm Weight: abt 110-110 g	¥35.00	\$4.93	1*Mouse 1* User Manual	60	47.5*28.8*30.3	7
CW917	Wired Black		Interface: USB 2.0 Image Sensor: Instant A603EP Acceleration : 10G DPI: 1200 Y/L/1600BL (DEFAULT) 2400PUR/600GN Polling rate : 250Hz RGB light Dim: 127*34*41mm Weight: abt 123g Cable length:1.5M	¥19.50	\$2.75	1*Mouse 1* User Manual	60	47.5*28.8*30.3	7
CW902	Wired Black		Interface: USB 2.0 Sensor: Instant A603EP High speed motion detection : 100FPS DPI: 1200-1000-2400-3600 Polling rate: 125Hz Dimension: 125*76*41mm Weight: 131g Cable: 1.5M System Requirements: XP,Win7,Win8,win10	¥23.00	\$3.24	1*Mouse 1* User Manual	60	47.5*28.8*30.3	6

CW905 Wired	Pink/ Purple		Interface: USB 2.0 Sensor: Instant A725F High speed motion detection : 100FPS DPI: 1200-7200 Polling rate: 125HZ Dimension : 127*71*40 mm Weight: approximately 132g Cable length:1.5M System Requirements:XP,Win7,Win8,wina10	¥ 29.00	\$4.08	1*Mouse 1* User Manual	60	49.5*29*33	10.1
<b>HOT</b> CW905 Wired	Black		Interface: USB 2.0 Sensor: Instant A725F High speed motion detection : 100FPS DPI: 1200-7200 Polling rate: 125HZ Dimension : 127*71*40 mm Weight: approximately 132g Cable length:1.5M System Requirements:XP,Win7,Win8,wina10	¥ 29.00	\$4.08	1*Mouse 1* User Manual	60	49.5*29*33	10.1
<b>HOT</b> CW905 2.4G	Black/ Pink/ White		Interface: USB 2.4G wireless Sensor: Pixart PAW3325 Battery : 3*70mAh High speed motion detection : 100FPS Left and right button Life time :500000 0 DPI: 1200-1600-2000-2400-3600 Polling rate: 125HZ Dimension : 127*71*40 mm Weight: approximately 125g System Requirements: XP,Win7,Win8,wina10	¥ 49.00	\$6.90	1*Mouse 1* User Manual	60	49.5*29*33	11
CW916	Blue		Gaming mouse Interface: USB 2.0 Sensor: 725F High speed motion detection : 100FPS DPI: 1200-7200 adjustable Polling rate: 125HZ Dimension : 127*79*42 mm-2mm Weight: approximately 124g-5G Cable length:1.5M System Requirements: Windowsxp/7/8/10/MAC	¥ 29.00	\$4.08	1*Mouse 1* User Manual	60	49.5*29*33	11
<b>NEW</b> G58 Wired RGB (Hot Swapping)	White/ Black		RGB 82 Buttons Low profile mechanical switches Switch : Brown Switch Interface : Wired USB Size: 323.7*133*42 ±1mm Weight: 1150g±10g Usage: PC, LAPTOP , TABLET	¥ 83.00	\$11.69	1*Keyboard 1* User Manual	10	38*15*30.2	6.9
<b>NEW</b> G55 Wired RGB	Black		RGB 61 Buttons Low profile mechanical switches Switch : Brown switch Interface : Wired USB Size: 299*101*40mm-5mm Weight: 480±20g Backlight function:2colors backlight Key-Press life: 20,000,000 Anti-ghost key: 21 keys Material:ABS Color: Black Application: PC, LAPTOP , TABLET System compatibility: WinXP,Vista,Win7,Win8,Win10	¥ 57.00	\$8.03	1*Keyboard 1* User Manual	10	38*15*30.2	6.9
G10 Wired RGB	White		RGB 84 Buttons Low profile mechanical switches 19 style of RGB changeable Mat Transparent Interface : Wired USB Size: 294.18*186.18*22.58 ±1mm Weight: 477g±50g Color: White Usage: PC, LAPTOP , TABLET	¥123.00	\$17.32	1*Keyboard 1* User Manual	10	38*15*30.2	6.9
<b>HOT</b> G38 Wired RGB	White/ Black		RGB 98 Buttons Low profile mechanical switches Switch : Brown switch Interface : Wired USB Size: 380.9L*133.0(W)*39.4(H)M Weight: 477g±50g Color: Black Usage: PC, LAPTOP , TABLET	¥ 88.00	\$12.39	1*Keyboard 1* User Manual	10	38*15*30.2	6.9
G38 Wired RGB(Special Edition : Pink Axis)	White/Blue		RGB 98 Buttons Low profile mechanical switches Switch : Pink switch Interface : Wired USB Size: 380.9L*133.0(W)*39.4(H)M Weight: 477g±50g Color: Black Usage: PC, LAPTOP , TABLET	¥102.00	\$14.37	1*Keyboard 1* User Manual	10	38*15*30.2	6.9

<b>HOT</b>	G52 Wired RGB (Hot Swapping)	White/Black		RGB 82 Buttons Low profile mechanical switches Switch : Brown Switch Interface : Wired USB Size: 323.7(L)*133.0(W)*42.0(H)MM Weight: 477g.50g Color: Black Usage: PC, LAPTOP , TABLET	¥ 83.00	\$11.69	1*Keyboard 1* User Manual	10	38*15*30.2	6.9
	G52 Wired RGB(Special Edition : Pink Axis)	Blue White		RGB 82 Buttons Low profile mechanical switches Switch : Pink switch Interface : Wired USB Size: 323.7(L)*133.0(W)*42.0(H)MM Weight: 477g.50g Color: Black Usage: PC, LAPTOP , TABLET	¥ 94.00	\$13.24	1*Keyboard 1* User Manual	10	38*15*30.2	6.9
	G32 Wired	Black		RGB 104Buttons Membrane Interface : Wired USB Size: 449*172*51.1mm Weight: 565g.50g Color: Black Usage: PC, LAPTOP , TABLET	¥ 31.00	\$4.37	1*Keyboard 1* User Manual	10	38*15*30.2	7.5
<b>HOT</b>	TZ506 5 in 1 Combo	Black		G32 USB Gaming Keyboard CW917 USB Gaming Mouse N7 Pro RGB 9.5mm Gaming Headset ST J Stand MP002 Mouse Pad	¥ 90.00	\$12.68	1*Mouse 1* Keyboard 1* Headset 1* Stand 1* Mouse pad	6	47.5*45*40	9
	TZ306 3 in 1 Combo	Black		G22 USB Gaming Keyboard CW917 USB Gaming Mouse MP002 Mouse Pad	¥ 56.00	\$7.89	1*Mouse 1* Keyboard 1* Headset 1* Stand 1* Mouse pad	10	47.5*45*40	9
<b>NEW</b>	C1 Wireless Controller	Black		3 light modes: constant, breathing running, fantasy light Bluetooth distance: 10m Sleep current: <15mA Pairing current: <5mA Working current: <80mA (no vibration), <250 (vibration) Power supply: built-in polymer battery Usage time: 8 hours Battery capacity: 800mAh Charging time: 2.5 hours Charging voltage: 1.25V Charging current: 250mA Data cable interface: TYPE-C interface Compatible: PC, Windows, Nintendo Switch.	¥ 57.00	\$8.03	1*Controller 1* User Manual	60	57.5*34*29	13.15
	MP002	Black		Mouse Pad Black 150*300*2MM	¥ 8.50	\$1.20	1* Mouse pad	100	67*49*20	14.6
<b>HOT</b>	MP006 RGB	Black		RGB Mouse Pad 300*300*4mm	¥ 32.00	\$4.51	1* Mouse pad	20	67*49*20	14.6

Remark: 1.This quotation valid for 1 month only, please contact us for final price before your order confirmation.

2.Above price based on regular Color Box, any extra packing requirement please contact us for updating price.

3.MOQ 20pcs per model per color for OBM(with our own brand ONIKUMA Package); MOQ 2000-3000pcs per model per color for OEM.

4.Price based on EXW Factory Price, If Order Quantity is bigger than 5000pcs, we will consider to regard it as FOB Price.

5.Promotion Price means we are doing promotion for ONIKUMA old product, Promotion Price are not equal to OEM price.

6.Payment Term: 100% T/T after inspection and before shipment.